



**Microsoft®**  
**GOLD CERTIFIED**  
*Partner*



## OneBox365 - The Simplest Path to Microsoft Lync Voice




## Agenda

- Introduction
- OneBox365
  - General overview
  - Deployment options
  - Branch Appliance
- Lync IP Phones



- Market leader in VoIP networking Products (*Infonetics 2012*)
  - Ranked **#1** in low and mid density media gateways for service providers
  - Ranked **#3** in enterprise session border controllers
- Deployed in over than 100 countries in service provider and enterprise networks
- Strong brand for quality & performance
- Global partnership with leading telecom players
- 20 years of VoIP expertise
- Public since 1999
- Worldwide presence:
  - **Headquarters:** Israel
  - USA and Canada
  - APAC: Singapore, Korea, China, India, Australia, Japan, Hong Kong
  - EMEA: UK, France, Benelux, DACH, Russia, Italy, South Africa, Poland
  - CALA: Miami, Brazil, Mexico, Argentina, Colombia
- Global Distribution Network covering more than 100 countries
- Support Centers covering all time zones and 3 Logistics Centers in North America, EMEA and APAC





***The only vendor with complete voice solutions offering for Lync***




**Microsoft®**  
**GOLD CERTIFIED**  
*Partner*



## OneBox365 - General overview






One Box for Lync is an all-in-one UC platform,  
that simplifies installation and maintenance  
by unifying multiple servers into one appliance,  
one administration interface for daily maintenance  
and a connector to the Active Directory



# What is One Box?





- Lync Server Standard Edition, containing
  - Front End server
  - Mediation server
  - Monitoring server
  - Archive
  - Office Web Application
- Edge server
- Forest Active Directory Domain Controller
- One System Administrator interface
  - Setting up users configuration
  - Installation console
- Mediant 800B Gateway
  - TDM interface
  - SIP Trunk, up to 250 SBC sessions
  - Optional MSBR
- Rescue Dongle
- Licenses Included:
  - Windows Server 2012 R2
  - SQL Server (OEM)
  - OneBox Application User License
- Licenses Not Included
  - Lync CALs (included in Office365 E4)
  - Lync Server

- One system administrator interface
  - Setting up configuration for customer
  - Add, moves and changes
  - Management Suite
- Resource forest topology
  - Own Active Directory controller
  - No impact on customer's *Active Directory*
- 110% Lync
  - Centralized Call Forwarding
  - Automatic User management

Browser address bar: <https://195.189.192.87/SysAdmin>


Navigation: File Edit View Favorites Tools Help

Shared Documents - All D... OneDrive for Business Microsoft Lync Improvem... Suggested Sites Web Slice Gallery

## ONEBOX™

Home User Management System Configuration About

Welcome **ac-onebox\Administrator**

Powered by: 

Week View Month View Dashboard Reports

Welcome to the OneBox management suite!

1 of 1 100% Find | Next













### Lync Server 2013

[Weekly View](#) | [Reports](#) | [Help](#)











Date : 7/13/2014 1:22:02 P

### Monitoring Dashboard

#### System Usage

	This month	Trend of past 6 months
<b>Registration</b>		
Unique user logons	5	
<b>Peer-to-peer</b>		
Total sessions	0	
IM sessions	0	
Audio sessions	0	
Video sessions	0	
Application sharing	0	
Total audio session minutes	0.00	
Avg. audio session minutes		
<b>Conference</b>		
Total conferences	0	
IM conferences	0	
A/V conferences	0	
Application sharing conferences	0	

#### Call Diagnostics

	This week	Trend
<b>Peer-to-peer</b>		
Total failures	0	
Overall failure rate		
IM failure rate		
Audio failure rate		
Application sharing failure rate		
<b>Conference</b>		
Total failures	0	
Overall failure rate		
IM failure rate		
A/V failure rate		
Application sharing failure rate		
<b>Top 5 servers by failed sessions</b>		
No server has failure reported.		

Taskbar: Windows Start, Internet Explorer, VLC, File Explorer, Google Chrome, Microsoft Word, Outlook, Search, OneDrive, PowerPoint, Visual Studio, Camera

System tray: EN, 1:23 PM, 7/13/2014

Browser address bar: <https://195.189.192.87/SysAdmin/Use...> Create Account

File Edit View Favorites Tools Help

Shared Documents - All D... OneDrive for Business Microsoft Lync Improvem... Suggested Sites Web Slice Gallery

Page Safety Tools

First Name\*:

Last Name\*:

Sign-in Name\*:

Registrar Pool:

Preferred Language:

Grouping:


Initials:

Full Name:

Domain Name:

Mail\*:

Fax:



- Import user
- Bulk Edit
- Bulk Import
- Group replication
- Distribution List

**Help**

(\*) indicates required fields.  
Type the name of the account you are looking for.  
Use wildcards (\* and ??) to broaden the search.

**Sign-in name:** used by the customer when logging-in into Office Communicator.

**First name:** Display accounts with "first name" matching the search criteria.

**Last name:** Last name of the user.

**Any if the above** Matches any of above fields.

**Directory Password**

Password\*:

Confirm Password\*:

Telephony

Response Groups

Call Forwarding

Policies

☒ PC to PC

☐ Enterprise Voice

Voice Policy:

Description: null

Features:

Enable call Forward	Enable Delegation	Enable Call Transfer	Enable team call	Enable call park	Enable simultaneous ringing of phones
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>


Dial Plan:

Description : null

Line URI:

Create User

Cancel



EN 1:35 PM 7/13/2014

## Search Users Menu

☒ Search ☐ LDAP Search

Get Users

- [User Management](#)
- [Create User](#)
- [Import User](#)
- [Bulk Edit](#)
- [Bulk Import](#)
- [Group replication](#)
- [Distribution List](#)

## Local ACS Users | Users/Licenses-count: 4/100

<input type="checkbox"/>	Sign-in address	VoicePolicy	ExternalAccessPolicy	DialPlan
No records to view		Page 1 of 0	10	Columns Default

Add to SelectList

## Selected Users

<input type="checkbox"/>	Sign-in address	Full Name	Notes
No records to view		Page 1 of 0	10

Remove from SelectList

## Edit Directory Properties & Policies on selected users

- ☐ External Access Policy: Global
- ☐ Conferencing Policy: Global
- ☐ Grouping: Global
- ☐ Enable call forwarding settings
- ☐ Enable Voice settings
- ☐ Delete

Apply changes

Activate Windows  
Go to System in Control Panel to activate Windows.

172.17.240.100

http://uc-dc.ac-onebox.com/SysAdmin/System

System Configuration

NEBOX™

Home User Management System Configuration About

[Log] Welcome ac-onebox\Administrator

SysAdmin uptime: 1.02:20:22.3138073

**Appliance time:**

FrontEnd  
Date and time: Thursday, July 10, 2014 12:45 PM  
Timezone offset: 3  
Standard time name: (UTC+02:00) Jerusalem  
Daylight saving time name: Jerusalem Daylight Time  
Is daylight saving time: True

Edge  
Loading, please be patient!

**Uptime:**

FrontEnd:  
Edge: Loading, please be patient!

**Misc. Settings**

☒ Enable Password Reset  
Max number of attempts: 3  
Rows per page: 10

Apply

**Active Directory:**


DC in use: UC-DC.ac-onebox.com

Domain	Controller Name	Computer Time (GMT)	IP Address
UC-DC.ac-onebox.com		07/10/2014 09:25:11	::1

Activate Windows  
Go to System in Control Panel to activate Windows.

12:46 PM  
7/10/2014





**Note:** The figure above is used only as an example. The number and type of port interfaces depends on the ordered model.



OSN VGA  
VGA port for connecting to a monitor (screen).



OSN USB  
3 USB ports for connecting computer peripherals  
(e.g., mouse and keyboard).

OSN GE1/GE2  
2 Gigabit Ethernet ports for connecting directly to the OSN server.  
For example, one port can be connected to the LAN (to IP Phones)  
and the second port to the WAN interface (to an IP PBX).

**Note:** The figure above is used only as an example. The number and type of port interfaces depends on the ordered model.




**Microsoft®**  
**GOLD CERTIFIED**  
*Partner*




## Deployment options




Feature	OneBox365 Users	Lync Online Users
Peer-to-Peer & PSTN calling, Emergency Dialing, Voice Mail	Yes	No
Call hold, Transfer, Forwarding, Delegation & Team Calling	Yes	No
IP Phones, USB Peripherals & Mobile call via work	Yes	No
Direct SIP Interoperability with on-premises PBX	Yes	No
Private Line, Common Area Phones	Yes	No
Analog Devices, Enhanced 911	Yes	No
Call Parking, Unassigned Number Handling	Yes	No
Call Center Integration & Response Groups	Yes	No
Network Resiliency, Call Admission Control	Yes	No





# One Box and Office 365- with Multi sites



## ■ Benefit

- The Office 365 component (Lync Online), cannot provide Enterprise Voice features to users without a Lync on-premise deployment
- The usage of E4 CAL allows users full Lync capabilities (including Enterprise Voice).
- Easy and fast deployment of Lync
- Full synchronization with the customer AD
- Allow remote site resiliency
- Allow Local PSTN or SIP Trunk access
- Allow local PBX interworking
- Can be managed and monitored remotely






**Microsoft®**  
**GOLD CERTIFIED**  
*Partner*




**OneBox for Branch**





For a small site with no Domain Controller . The local AD on the appliance can be used



For a small site with no Domain Controller . The local AD on the appliance can be used

## ■ Benefit

- Full Lync 2013 deployment and feature set .
- Easy installation of the Lync , less then 2 hours Vs few days
- Full synchronization with the corporate DC & AD
- Easy and user friendly management console
- Support both SIP trunk and TDM
- Combined with AudioCodes , Lync IP-Phones




**Microsoft®**  
**GOLD CERTIFIED**  
*Partner*




## OneBox Branch Pool Appliance



## WAN Up All Features Available



## WAN Down Basic Voice Features Available




### Features Available with WAN Down

- PSTN Inbound and Outbound calls
- Intra-Site calls, Inter site calls (PSTN Rerouting)
- Hold, Retrieve, Transfer
- Authentication, Authorization
- Voicemail Deposit (Redirect to ExUM in Data Center)
- Voicemail Retrieve (through PSTN)
- Call Forwarding, SimulRing, Boss-Admin, Team-call
- Call Detail Records (CDR)
- All 2 Party Intra Site communications
- Audio Conferencing through PSTN


### Features Unavailable

- Inter-site Data (IM, App Sharing, etc.)
- Conferencing (IM, Video and Web)
- Presence & DND based routing
- Modify Presence or Change Call Forwarding Settings
- Contact List
- Response Group and Call Park

## WAN Up All Features Available



## WAN Down All Features Available



**Lync client, Attendant Console, Lync Phone Edition**

### Features Available with WAN Down

PSTN Inbound and Outbound calls

Intra-Site calls, Inter site calls (PSTN Rerouting)

Hold, Retrieve, Transfer

Authentication, Authorization

Voicemail Deposit (Redirect to ExUM in Data Center)

Voicemail Retrieve (through PSTN)

Call Forwarding, SimulRing, Boss-Admin, Team-call

Call Detail Records (CDR)

All 2 Party Intra Site communications

Audio Conferencing through PSTN

Contact Search

*Inter-site Data (IM, App Sharing, etc.)*

*Conferencing (IM, Video and Web)*

*Presence & DND based routing*

*Modify Presence or Change Call Forwarding Settings*

*Contact List*


*Response Group and Call Park*

*Provisioning new phones and clients*

*Remote branch user local register*



**Purpose-built appliance optimized to provide resilient multi-modal communication for maximizing branch office user productivity**



## ➤ **OneBox Branch Pool Appliance (full Lync feature set)**

- No A/V and data sharing traffic over WAN (for branch office conferences)
- Remote users register locally
- Local administration (add/moves/changes) by means of ACS management suite
- Full Lync feature set (when WAN down), including:
  - IM, web, and A/V conferencing
  - Presence and Do Not Disturb (DND)-based routing (where calls are prevented from ringing on extensions that have DND activated)
  - Updating call forwarding settings
  - Response Group application
  - Call Park application
  - Provisioning new phones and clients, (if Active Directory Domain Services is present at the branch site)

	SBA	BPA
Appliance content	SBA	Full Lync Pool
User feature during WAN failure	Limits user feature (Voice only)	Full Lync features
User resiliency (when the appliance is down)	Auto mode – Lync user will home to the Lync pool in the HQ	Need to create pool pair with another BPA – switch over is manually
RGS /Conferencing /Video	Not available locally , run at the DC	Available locally
DC recovery	When DC is switching to the secondary DC , SBA users will have limited features	When DC is switching to the secondary DC , BPA users will have full functionality
Local connectivity (SBC/EGW)	Support	Support



**Microsoft®**  
**GOLD CERTIFIED**  
*Partner*



## AudioCodes Lync Compatible IP Phones

- AudioCodes IP-Phone , are supported with the One Box365 for Lync



- 400HD - complete range of Lync certified IP Phones (420HD, 430HD, 440HD)
- New generation of phones with a sleek design and enhanced presence monitoring support.



## 420HD

- Cost effective phone
- Graphic multi-lingual LCD display (128 X 48)
- 4 programmable soft keys
- Full duplex speaker phone
- HDVoIP voice quality
- Optional GbE

## 430HD

- Advanced, mid-range
- Larger LCD display (132 X 64)
- 6 multi-function keys
- 12 programmable speed dial keys
- USB Headset Support
- Optional GbE

## 440HD

- High-end, executive
- LCD displays for speed dial keys
- Contacts & presence displayed on dedicated LCD screen
- USB Headset Support
- GbE by default

- 440HD model includes a dedicated LCD display for the contact list





## Benefit from full integration with Microsoft Unified Communications

BLF for co-workers presences  
(430/440HD models)

“Enhanced “Better Together  
support over Ethernet

Simple, secure sign-in

Lync contacts displayed on  
LCD screen (440HD model)

HD VoIP with full support for  
Microsoft’s RTA codec\*

USB Headset support  
(430/440HD models)

Provisioning and management  
(EMS) support\*

Boss Admin support  
(430/440HD models)

SBA mode support for  
branch survivability

- Music On Hold
- Busy on Busy
- Resiliency and recovery mode support – SBA
- Lync 2013 support enhancements
  - call pickup, call park
- Supplementary calling features
  - including Lync conferencing
- Out the box install using **MS in-band provisioning**
- PIN Code authentication
- 802.1x Support (EAP-TLS/MD5)
- Admin Login to Web Interface
- Group Call Pickup (GCP)
- Multi-Tenant (LHP)
- POE
- Voice Mail support

- **Better Together over Ethernet** for all 400HD for easy sign in, click to call and Lync conferencing manageability.
- **Boss-Admin** with Lync improvements (based on Lync call delegation)
- **HD Voice quality** improvements (AGC AEC and noise reduction enhancements)
- Direct access to the Lync contact list **and T9 Search**
- All the basic VoIP features including CAC, Media Bypass, E911, Response Groups, Call Delegation, Private Lines and MWI
- Multi language support (English, Spanish, Portuguese, German, French, Italian, Russian, Ukrainian, Polish, Hebrew, Finnish, Korean, Chinese)


# GENERAL ROADMAP



- Cost effective low end IP Phone
- 2 SIP lines, 2 concurrent calls per line
- Graphic multi-lingual LCD display (132 X 64)
- 4 programmable soft keys
- Full duplex speaker phone
- PoE (802.3af) or external DC adapter
- Available for Lync on 2H 2015



Management System for Lync (not only for IP Phones) as AudioCodes is providing a complete solution



- AudioCodes EMS will perform bulk operations on groups of IPPs or individual IPP
  - Trigger an IPP/PPs reset
  - Create global and unique (per MAC) configuration files
  - Schedule a configuration file and or firmware update
- Define groups of IPPs based on a variety of parameters
  - Location, Vlan tag information, IP range, model number, etc. and also save the group definition for future use
- Change a configuration parameter across the entire deployment or on groups of IPPs
- Flexibility for management operations: graceful task scheduling



# Mass management with AudioCodes EMS – Q4 / 14



AudioCodes® IP Phone Management Server



Home



Help



Log off

1.0.4.37439



## Navigation Tree

- Dashboard
  - Dashboard
  - Devices Status
  - Alarms
- Users
  - Users
  - Manage Multiple Users
  - Manage Multiple Devices
  - Import Users & Devices
- IP-Phones Configuration
  - Templates
  - System Settings
  - System Placeholders
  - IPP Model Placeholders
  - Region Placeholders
  - Devices Placeholders
  - IPP Configuration Files
  - IPP Firmware Files
- System Diagnostics
  - System Logs



3

Registered  
Devices

[Devices  
Status](#)



0

Non  
Registered  
Devices

[Devices  
Status](#)



2

Disconnected  
Devices

[Devices  
Status](#)

Registered  
60.00%

## Recent Reports

	✓	User ↕	Report Time ↕	MAC Addr ↕	IP ↕
	✓	Yaniv Kitlaru	26.09.2014 11:01:05	00908f4817f7	10.22.12.160
	✓	Eli Carciente	26.09.2014 10:53:59	00908f484f2e	10.37.2.2
	✓	Shay Harel	26.09.2014 10:27:48	00908f484688	10.22.13.132
	✗	5560	09.09.2014 14:16:29	00908f4805e1	10.22.13.159
?	✗	4720	04.09.2014 21:29:38	00908f484733	10.22.13.6

[View Devices Status](#)

	✓	User ↕	Report Time ↕	MAC ↕	IP ↕	User Agent ↕
<a href="#">Actions</a>	✓	Yaniv Kitlaru	26.09.2014 11:01:05	00908f4817f7	10.22.12.160	AUDC-IPPhone-440HD_UC_2.0.7.71.4/1.0.0000.0
<a href="#">Actions</a>	✓	Eli Carciente	26.09.2014 10:53:59	00908f484f2e	10.37.2.2	AUDC-IPPhone-440HD_UC_2.0.9.17/1.0.0000.0
<a href="#">Actions</a>	✓	Shay Harel	26.09.2014 10:27:48	00908f484688	10.22.13.132	AUDC-IPPhone-440HD_UC_2.0.7.71/1.0.0000.0
<a href="#">Actions</a>	✗	5560	09.09.2014 14:16:29	00908f4805e1	10.22.13.159	AUDC-IPPhone/2.0.4.2.ems.13 (420HD; 00908F4805E1)
<a href="#">Actions</a>	✗	4720	04.09.2014 21:29:38	00908f484733	10.22.13.6	AUDC-IPPhone/2.0.4.2.ems.13 (440HD; 00908F484733)



## ■ 3.2.0 End of Nov

- Boss Admin phase 2
  - Different ring tones for Boss calls vs. incoming calls for admin private line
  - Complete integration between BToE with Boss Admin
- BToE enhancement – support merging of 2 calls into a 3 way conference when working with BToE (Lync conferencing)
- Better together integration support for VDI environments
- Japanese language support

## ■ 3.2.1 EoY 2014

- USB headset support
- Enhanced contact list integration – populate Lync contact lists to the 440HD integrated sidecar (dedicated LCD)
- Lync QoE reporting (to complete SEM for Lync integration)



*Thank you*